CL-S product information sheet

Product Specifications

Fits most: 13" - 24" flat panels Supports up to: 30 lbs (13.6 kg)

Tilt: -5° to +15°

Mounting profile: 3.2" (81mm)

Maximum extension: 14.0" (356mm)

VESA Compliant: 75x75 and 100x100

Mounting: Single-stud and solid wall

UL listed: Yes **Warranty:** 5 years **Color:** Black

Product Benefits

- Tilt, pan and swivel for maximum viewing flexibility
- Die-cast aluminum construction for maximum support in a lightweight mount
- I-beam arm design for added strength
- Innovative 4-link tilt mechanism for smooth, effortless movement
- Double-capacity cable management system guides wires
- Built-in screen leveling
- Lift n' Lock[™] allows you to easily attach your flat panel to the mount
- Locking system secures panel to mount
- Rotate for portrait or landscape orientation
- Wall plate covers conceal mounting hardware
- Installation template for simple and accurate mounting
- Includes complete hardware kit





A double-capacity cable management system is seamlessly integrated into the CL-S, allowing for twice as many cables to be neatly tucked away within the arm's housing.

Series



CL-S



CL-M







OmniMount, an innovator of A/V mounts and furniture for more than a quarter century, is the choice of professional installers and the brand most recommended by flat panel manufacturers. The popular Architectural Series is a full line of full motion mounts with innovation, durability and maximum functionality built right in. The CL-S is ideal for anyone requiring a small heavy-duty full motion mount with advanced features.

CL-S technical data sheet



OmniMount, an innovator of A/V mounts and furniture for more than a quarter century, is the choice of professional installers and the brand most recommended by flat panel manufacturers. The popular Architectural Series is a full line of full motion mounts with innovation, durability and maximum functionality built right in. The CL-S is ideal for anyone requiring a small heavyduty full motion mount with advanced features.

Product Specifications

Fits most: 13" - 24" flat panels **Supports up to:** 30 lbs (13.6 kg)

Tilt: -5° to $+15^{\circ}$

Mounting profile: 3.2" (81mm) Maximum extension: 14.0" (356mm) VESA Compliant: 75x75 and 100x100 Mounting: Single-stud and solid wall

UL listed: Yes Warranty: 5 years Color: Black

Product Benefits

- Tilt, pan and swivel for maximum viewing flexibility
- Die-cast aluminum construction for maximum support in a lightweight mount
- I-beam arm design for added strength
- Innovative 4-link tilt mechanism for smooth, effortless movement
- Double-capacity cable management system guides wires
- Built-in screen leveling



CUL US LISTED

- Lift n' Lock™ allows you to easily attach your flat panel to the mount
- Locking system secures panel to mount
- Rotate for portrait or landscape orientation
- Wall plate covers conceal mounting hardware
- Installation template for simple and accurate mounting
- Includes complete hardware kit

	Color	Stock Code	Packaging UPC	MC UPC
Americas	Black	1003073-1	728901016974	728901710278
International	Black	1003009-1	728901017285	728901710599


	Dimensions WxDxH Inches (mm)	Wt lbs (kg)	Qty
Box	7.7 x 9.8 x 3.7 (195x250x95)	3.4 (1.5)	NA
MC	10.2 x 15.2 x 8.3 (260x385x210)	14.2 (6.4)	4


Box Contents	
Wall plate	1
VESA plate	1
Full motion arm	1
Cable management cover	
Complete mount installation hardware kit	

Box Contents	
Complete panel attachment hardware kit	
Installation template	
Instruction manual	1
Flat Panel Compatibility Chart	1


CL-S line drawing







PANEL ATTACHMENT - VESA COMPATABILITY (mm)



CUL) US LISTED

inches (mm)